


*America's  
finest shotgun  
rejoins the  
Remington Family*



CONFIDENTIAL  
AUTHORIZED REMINGTON  
DEALER INFORMATION

SPECIFICATIONS  
AHE Grade 20 Gauge

### A.H.E. Grade

#### Barrels

Parker Rust Blued Barrels—Solid Rib is standard.  
Raised Vent Rib is optional at no charge.  
Length—28"

#### Chamber:

Gauge	Chamber Depth	Shell Length
20	2 3/4"	2 3/4"

**Sights:** Twin Ivory Bead.

**Boring:** The Parker's standard boring is Right Barrel-Modified, and Left Barrel-Full. Any other combination of Skeet, Imp. Cyl., Modified and Full is available per customer's instructions.

#### Stock

Select, finely figured American or Circassian Walnut.  
Hand checkered panels at 24 lines per inch with "Fleur-de-Lis" border carving. Hand rubbed oil finish.

**Grip:** Full Pistol Grip with Cap is standard.  
Half Pistol Grip (Ball) or Straight Grip (English) are optional at no charge.

**Name Plate:** Initials or Monogram, Limit three letters. Full Pistol Grip—Available in Grip Cap or in stock. Half Pistol (Ball) or Straight Grip (English)—Available in stock only. Optional at no charge.

**Butt Plate:** Engraved Steel Skeleton Butt Plate is Standard. Red Recoil Pad or Parker Dogs Head Butt Plate are optional at no charge.

#### Standard Stock Dimensions:

Length of Pull:	14"
Drop at Heel:	2 1/2"
Drop at Comb:	1 3/8"
Pitch:	2 1/2"

Any other dimensions are optional at no charge.

#### Fore End

Splinter Fore End is standard.  
Beaver Tail Fore End is optional at no charge.  
Wood, checkering and finish to match stock.

#### Action/Frame

**Ejectors:** New Style Selective Automatic.

**Safety:** Top Tang Automatic is standard.  
Non-Automatic is optional at no charge.

**Trigger:** New Style Single Selective Trigger only.  
Finish—gold plated.

#### Engraving

English Scroll/Game Scenes on cased frame.

#### Markings

As original—serial numbers continued from last production.

#### Weight

6 3/8–6 3/4 lbs.  
(Varies according to density of wood)

#### Case

Compartmentalized take-down leather motor case.

#### Order

Accepted from Authorized Remington Dealer only, and must be sent on official Parker Order Form directly to:

Parker Gun Works  
Division of Remington Arms Co., Inc.  
14 Hoefler Avenue  
Ilion, NY 13357

#### Deposit

A deposit is required with each order.  
Once production has begun, the order is NON-CANCELABLE and the deposit is NON-REFUNDABLE.

#### Terms

Net 30 days from date of invoice.

#### Delivery


Orders will be handled on a first come, first served basis.

#### Acknowledgements

All orders will be acknowledged in writing, confirming options requested, approximate delivery dates and additional charges, if any. All orders without deposits will be returned.

Specifications and conditions effective  
December 1, 1987.





CONFIDENTIAL  
AUTHORIZED REMINGTON  
DEALER INFORMATION

ORDER FORM  
AHE Grade 20 Gauge

#### Barrels

- ☐ Solid Rib (Standard)
- ☐ Raised Ventilated Rib
- Length—28"
- Chamber—2 3/4"
- Sights—Twin Ivory Bead

#### Boring

Right Barrel \_\_\_\_\_  
Left Barrel \_\_\_\_\_  
The Parker's standard boring is Right Barrel-Modified, and Left Barrel-Full. Any other combination of Skeet, Imp. Cyl., Modified and Full is available at customer's request.

#### Stock

- ☐ American Walnut
- ☐ Circassian Walnut
- Hand checkered panels at 24 lines per inch with "Fleur-de-Lis" border carving.
- Hand rubbed oil finish.

#### Grip and Nameplate

- ☐ Full Pistol Grip (Standard) with gold name plate in:
  - ☐ Pistol grip cap
  - ☐ Stock
- ☐ Half Pistol Grip (Ball)
  - ☐ Gold name plate in stock.
- ☐ Straight Grip (English)
  - ☐ Gold name plate in stock.

Engraving for plate, limited to three letters:            

#### Butt Plate

- ☐ Engraved Steel Skeleton (Standard)
- ☐ Red Recoil Pad
- ☐ Parker Dogs Head Butt Plate

#### Stock Dimensions

	Standard	Special
Length of Pull:	14"	_____
Drop at Heel:	2 1/2"	_____
Drop at Comb:	1 3/4"	_____
Pitch:	2 1/2"	_____

#### Fore End

- ☐ Splinter (Standard)
- ☐ Beaver Tail
- Wood, checkering and finish to match stock.

#### Ejectors

Selective Automatic

#### Safety

- ☐ Automatic (Standard)
- ☐ Non-Automatic

#### Trigger

Single Selective only.

#### Engraving:

English Scroll/Game Scenes, AHE Grade

#### Markings

As original—serial numbers continued from last production.

#### Weight

6 1/2 — 6 3/4 lbs. (Varies according to density of wood).

#### Case

Compartmentalized take-down leather motor case.

#### Order

Accepted from Authorized Remington Dealer only.

#### Deposit

A deposit is required with each order. Once production has begun, the order is NON-CANCELABLE and the deposit is NON-REFUNDABLE.

#### Terms

Net 30 days from date of invoice:

Send order to:  
Parker Gun Works  
Division of  
Remington Arms Co., Inc.  
14 Hoeffler Avenue  
Ilion, NY 13357

OFFICE USE ONLY  
SERIAL NUMBER: \_\_\_\_\_

#### CUSTOMER INFORMATION

CUSTOMER'S NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_  
TELEPHONE NUMBER INCLUDING AREA CODE \_\_\_\_\_  
SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

#### AUTHORIZED REMINGTON DEALER INFORMATION

DEALER \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_  
TELEPHONE NUMBER INCLUDING AREA CODE \_\_\_\_\_  
PURCHASE ORDER NUMBER \_\_\_\_\_ DATE SUBMITTED \_\_\_\_\_ AMOUNT OF DEPOSIT \_\_\_\_\_  
FEDERAL FIRE ARMS LICENSE NUMBER \_\_\_\_\_